AXELOFEIN- minoxidil 2% solution/ drops TRILOGIC, LTD

AZELOFEIN HAIR GROWTH SOLUTION 2% MINOXIDIL TOPICAL SOLUTION

Minoxidil 2% w/v

USE

Use to regrow hair on the scalp

Hair regrowth treatment

For external use only.

Flamable: Keep away from fire of flame.

Do not use if:

- Your degree of hair loss is different than shown on the side of this carton, because this product may not work for you
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- Your hair loss is associated with childbirth
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies or children
- Your scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp

Ask a doctor before use if you have heart disease

WHEN USING THIS PRODUCT

- Do not apply on other parts of the body
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- Some people have expereinced changes in hair color and/or texture
- It takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results
- The amount of hair regrowth is different for each person. This product will not work for everyone.

Stop use and ask a doctor if

- Chest pain, rapid heart beat, faintness, or dissiness occurs
- Sudden, unexplained weight gain occurs
- Your hands of feet swell
- Scalp irritation or redness occurs
- You get unwanted facial hair growth
- You do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

• apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area

- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

OTHER INFORMATION


- See hair loss pictures on the side of this carton
- Before use, read all information on carton and enclosed leaflet
- Keep the carton. It contains important information
- In clincial studies of mostly white women aged 18-45 years with moderate degrees of hair loss, the following responses to 2% minoxidil topical solution was reported: 19% of women reported moderate hair regrowth after using 2% minoxidil topical solution for 8 months (19% had moderate regrowth; 40% had minimal hair regrowth). This compares with the 7% of women reporting moderate hair regrowth after using a placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth; 33% had minimal regrowth).
- Store at controlled room temperature 20 o to 25 oC (68 o to 77 oF)

Alcohol, Propylene Glycol, Purified Water

Questions or comments? +7-499-753-04-34

· Visit Website at www.simone.su

Alcohol, Propylene Glycol, Purified Water



Ingresson, autor installment appearage. Itera a USP controlled mont temperature 20" to 20°C 684" to 79 Inactive ingresson active ingresson accomments Audiou, Propriemo Gyory, Parlie Ouestions or comments? Visit Website at www.amons.su		Made in USA Distributed By: OOO TRILOGIC LTD. Krzizhanovskogo st.14/3 117218 MOSCOW-RUSSIA	One Month Supply One 60mL (2 fl oz) Bottle	Any not use in your investigations y raise. Note as Shown above.
0 949225 059700	Lot No. Expiration	Label Part# Rev. Date		

May be harmful if used when Read and keep carton and leaflet for full product pregnant or breast-feeding. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. information Active ingredient Minoxidil 2% w/v NDC# Warnings
For external use only.
Flammable: Keep away from fire or flame
Do not use if
you have no family history of hair loss
your hair loss is sudden and/or patchy
your hair loss is associated with childbirth
you do not know the reason for your hair loss
you are under 18 years of age. Do not use on
babies and ehildren. Warnings Directions

• apply one mL 2 times a day directly onto the scalp in the hair loss area • see inner carton and enclosed leaflet for complete directions

• using more or more often will not AZELOFEIN 2% Minexidil Topical Solution Hair Regrowth Treatment improve results babies and children.

your scalp is red, inflamed, infected, irritated, or painful continued use is necessary or hair loss will begin again UNSCENTED painful

you use other medicines on the scalp
Ask a doctor before use if you have heart disease
When using this product
do not apply on other parts of the body
avoid contact with the eyes. In case of accidental
contact, rinse eyes with large amounts of cool tap water,
some people have experienced changes in hair color
and/or texture Inactive ingredients alcohol, propylene glycol, purified water CLINICALLY PROVEN TO HELP RGROW HAIR Questions? Call (OOO TRILOGIC LTD. +7 (499) 753-04-34) or reach us on the internet at www.simone.su REVITALIZES HAIR FOLLICLES TOPICAL SOLUTION Store at Controlled Room Temperature 20° to 25°C (68° to 77°F) Stop use and ask a doctor if

chest pain, rapid heartbeat, faintness, or dizziness occurs

sudden, unexplained weight gain occurs your hands or feet swell
 scalp irritation or redness occurs
 unwanted facial hair growth occurs EXP Rev. date One Month Supply 60 mL (2 fl oz) Dist by:TRILOGIC LTD Address: Krzizhanovskogo street 14 str. 3, 117218, MOSCOW, RUSSIA

minoxidil 2% solution/ drops

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:73237-001

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINO XIDII. (LINII: 5965120 SH1) (MINO XIDII LINII: 5965120 SH1)	MINO XIDII	2 g in 100 mI

Inactive Ingredients

Ingredient Name
Strength

WATER (UNII: 059QF0KO0R)

ISOPROPYL ALCOHOL (UNII: ND2M416302)

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

Packaging

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:73237-001- 01	1 in 1 BOX	07/10/2019	
1	60 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information								
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date					
ANDA	ANDA078176	07/10/2019						

Labeler - TRILOGIC, LTD (682372062)

Revised: 7/2019 TRILOGIC, LTD